

ICD-10-CM

Part 3

New Format

- All ICD-10-CM codes begin with a letter.
 - A-T and V-Z
- Except U
 - Future use for diseases of uncertain etiology
- Code can be anywhere from 3 to 7 characters

New Format

- ICD-10-CM has 21 chapters
- ICD-9-CM has 17 chapters and two supplementary classification sections (V & E codes)

Chapters and their start letters

- Chapter 1 – Certain Infectious and parasitic diseases
 - **A00 – B99**
 - **ICD9 CH 1 Infectious and parasitic diseases (001-139)**
- Chapter 2 – Neoplasms
 - **C00 – D49 (NOTE: two letters)**
 - **ICD9 CH 2 Neoplasms (140 – 239)**
- Chapter 3 – Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
 - **D50 – D89**
 - **ICD9 CH 4 Diseases of the blood and blood-forming organs (280 - 289)**

Chapters and their start letters

- Chapter 4 – Endocrine, nutritional and metabolic diseases
 - **E00 – E89**
 - **ICD9 CH 3 Endocrine, nutritional and metabolic diseases, and immunity disorders (240-279)**
- Chapter 5 – Mental and Behavioral disorders
 - **F01 – F99**
 - **ICD9 CH 5 Mental disorders (290 – 319)**
- Chapter 6 – Disease of the nervous system
 - **G00 – G99**
 - **ICD9 CH 6 Diseases of the nervous system and sense organs (320 – 389)**

Chapters and their start letters

- Chapter 7 – Diseases of the eye and adnexa
 - **H00 – H59**
 - **ICD9 CH 6 Diseases of the nervous system and sense organs (320 – 389)**
- Chapter 8 – Diseases of the ear and mastoid process
 - **H60 – H95**
 - **ICD9 CH 6 Diseases of the nervous system and sense organs (320 – 389)**
- Chapter 9 – Diseases of the circulatory system
 - **I00 – I99**
 - **ICD9 CH 7 Diseases of the circulatory system (390-459)**

Chapters and their start letters

- Chapter 10 – Diseases of the respiratory system
 - **J00 – J99**
 - **ICD9 CH 8 Diseases of the respiratory system (460 – 519)**
- Chapter 11 – Diseases of the digestive system
 - **K00 – K94**
 - **ICD9 CH 9 Diseases of the digestive system (520 – 579)**
- Chapter 12 – Diseases of the skin and subcutaneous tissue
 - **L00 – L99**
 - **ICD9 CH 12 Diseases of the skin and subcutaneous tissue (680 – 709)**

Chapters and their start letters

- Chapter 13 – Diseases of the musculoskeletal and connective tissue
 - **M00 – M99**
 - ICD9 CH 13 Diseases of the musculoskeletal system and connective tissue (710 – 739)
- Chapter 14 – Diseases of the genitourinary system
 - **N00 – N99**
 - ICD9 CH 10 Diseases of the genitourinary system (580 – 629)
- Chapter 15 – Pregnancy, childbirth and the puerperium
 - **O00 – O9A**
 - ICD9 CH 11 Complications of pregnancy, childbirth, and the puerperium (630 – 679)

Chapters and their start letters

- Chapter 16 – Certain conditions originating in the perinatal period
 - **P00 – P96**
 - **ICD9 CH 15 Certain conditions originating in the perinatal period (760 -779)**
- Chapter 17 – Congenital malformations, deformations and chromosomal abnormalities
 - **Q00 – Q99**
 - **ICD9 CH 14 Congenital anomalies (740 – 759)**
- Chapter 18 – Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified
 - **R00 – R99**
 - **ICD9 CH 16 Symptoms, signs, and ill-defined conditions (780 – 799)**

Chapters and their start letters

- Chapter 19 – Injury, poisoning and certain other consequences of external causes
 - **S00 – T88**
 - **ICD9 CH 17 Injury and poisoning (800- 999)**
- Chapter 20 – External causes of morbidity
 - **V01 – Y95**
 - **ICD9 Supplementary classification of external causes of injury and poisoning (E000 – E999)**
- Chapter 21 – Factors influencing health status and contact with health services
 - **Z00 - Z99**
 - **ICD9 Supplementary classification of factors influencing health status and contact with health services (V01 – V89)**

New Format

- The end character can be either a number or a letter
 - **M80.011A**: Age-related osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture
 - **I10**: Essential (primary) hypertension

New Format

- Every description is a stand alone description.
- Complete descriptions at every code entry

ICD-10- CM

S40.029A: Contusion of
upper arm, unspecified side

ICD-9-CM

923 Contusion of
upper limb

923.03 Upper arm

New Format

- No Morphology codes in ICD-10-CM
- ICD9 :
 - M8000/0 Neoplasm, benign
 - M8000/1 Neoplasm, uncertain whether benign or malignant
 - M8000/3 Neoplasm, malignant

New Format

- ICD-10-CM has combination codes where ICD-9-CM had separate codes for each condition

ICD-10-CM

“Diabetic
retinopathy”

E11.319

ICD-9-CM

“Diabetic
retinopathy”

250.50, 362.01

New Format

- Dummy placeholder
 - the letter “x” used as a 5th character placeholder at certain six-character codes to allow for future expansions
 - Example: An initial encounter for accidental poisoning by penicillin is coded T36.0x1A
- Extensions
 - 7th character can be a number or a letter
 - If a code is not a full six characters in length, a dummy placeholder “x” must be used to fill in the empty characters when a seventh character extension is required. Example: Polyhydramnios, second trimester, fetus 1 is coded O40.2xx1

Same Format

- Punctuation Marks
 - Brackets [] – synonyms, alternative wording, explanatory phrases
 - Parenthesis () – in Index and Tabular to enclose nonessential modifiers
 - Colon : - in Tabular after an incomplete term that needs one or more of the modifiers following the colon to make it assignable to a given category

Same Format

- Categories
- Subcategories
- Valid codes

Same Format

- Abbreviations
 - NEC = other specified
 - NOS = not otherwise specified (unspecified)
- Many of the codes that were NEC AND NOS in ICD9 have been separated in ICD10.

Same Format

- Instructional Notes
 - Includes Notes
 - Inclusion Terms
 - Excludes Notes
 - Excludes 1 = “not coded here”; pure excludes
 - Excludes 2 = “not included here”; code both if appropriate
 - Etiology/Manifestation codes
 - Code Also
 - And (and/or)
 - With/ without (default is without)
 - 5 character codes: “0” in the 5th position = “without”
 - 5 character codes: “1” in the 5th position – “with
 - 6th character codes: “1” in the 6th position = “with”
 - 6th character codes: “9” in the 6th position = “without”